ELSEVIER

International Journal of Mass Spectrometry 206 (2001) 287

Author Index

Aregbe, Y., 129

Bäßmann, C., 231
Barbieux-Flammang, M., 91
Becker, K., 13
Bindal, S.N., 177
Boesl, U., 231

Casares, A., 265

De Bièvre, P., 129
Deutsch, H., 13
Deyhle, A., 79

Flammang, R., 91
Franzen, J., 273
Frey, R., 273
Friedrich, J., 63
Fujii, Y., 1

Gerbaux, P., 91
Goldberg, S.A., 105
Goodings, J.M., 137
Grimsrud, E.P., 53
Grotemeyer, J., 179, 243
Guilhaus, M., 201
Guo, J., 137

Hayhurst, A.N., 137
Holle, A., 273
Hoppilliard, Y., 45
Hunter, E.J., 7

Ioanoviciu, D., 211

Kappes, M.M., 63
Käsmeier, R., 231
Kawai, Y., 1
Kennedy, R.A., i
Ketkar, S.N., 7
Kholomeev, A., 265
Kipphardt, H., 129
Knighton, W.B., 53
Kräuter, K.-O., 273

Lavendy, H., 153
Lehr, L., 191

Mamyrin, B.A., 249
Märk, T.D., 13
Mason, P.B., 105
Mayhew, C.A., i
Mlynski, V., 201
Murata, H., 1

Nomura, M., 1
Nørgaard, J., 129

Ohanessian, G., 45

Pascoli, G., 153
Poths, J., 129
Probst, M., 13

Rama Rao, V.V.K., 177
Reif, J., 243
Richter, S., 105
Rogalewicz, F., 45

Schlag, E.W., 191
Schmid, R.P., 181, 243
Schwieters, J.B., 105
Scott, A.D., Jr., 7
Selby, D.S., 201
Stoermer, C., 63
Sudakov, M., 27
Suzuki, T., 1

Taylor, P.D.P., 129
Taylor, S.G., 137
Terlouw, J.K., 91
Tönnies, K., 243
Traina, A.J., 105

Valkiers, S., 129

Weickhardt, C., 181, 243
Weinkauf, R., 191
Williamson, D.H., 53
Wollnik, H., 265

1387-3806/01/$20.00 © 2001 Elsevier Science B.V. All rights reserved
PII S1387-3806(00)00239-6

ELSEVIER

International Journal of Mass Spectrometry 206 (2001) 289–292

Subject Index

Ab initio calculations
Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. III. Rearrangement versus desolvation in the electrospray formation of the glycine-zinc complex, 45
Alkaline-earth iodide
Surface ionization of alkaline-earth iodides in double-filament system, 1
Anions
Time-of-flight mass analyser for anion mass spectrometry and anion photoelectron spectroscopy, 231
Associative ion-molecule reactions
Definitive characterization of some $C_5H_5N^{\cdot+}$ and $C_6H_7N^{\cdot+}$ radical cations by associative ion-molecule reactions, 91
Atmospheric pressure ionization mass spectrometry (APIMS)
The use of proton-transfer reactions to detect low levels of impurities in bulk oxygen using an atmospheric pressure ionization mass spectrometer, 7

Boron isotope analysis
Improvements of boron isotope analysis by positive thermal ionization mass spectrometry using static multi-collection of $Cs_2BO_2^+$ ions, 79

Carbon
Comparative ab initio studies of heteroatom-doped carbon clusters $C_nX_p^+$ (X = P, S; $n + p = 3-6$), 153
Carbon clusters
Comparative ab initio studies of heteroatom-doped carbon clusters $C_nX_p^+$ (X = P, S; $n + p = 3-6$), 153
Collision-induced dissociation
Definitive characterization of some $C_5H_5N^{\cdot+}$ and $C_6H_7N^{\cdot+}$ radical cations by associative ion-molecule reactions, 91
Recent progress in matrix-assisted laser desorption ionization postsource decay, 273
Cross-section calculations
Calculations of absolute electron-impact ionization cross sections for molecules of technological relevance using the DM formalism, 13
$Cs_2BO_2^+$ ions
Improvements of boron isotope analysis by positive thermal ionization mass spectrometry using static multi-collection of $Cs_2BO_2^+$ ions, 79
Current-voltage characteristics
Current-voltage characteristics in a flame plasma: analysis for positive and negative ions, with applications, 137

Density functional theory
Comparative ab initio studies of heteroatom-doped carbon clusters $C_nX_p^+$ (X = P, S; $n + p = 3-6$), 153
Desolvation
Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. III. Rearrangement versus desolvation in the electrospray formation of the glycine-zinc complex, 45
Dissociation
Surface ionization of alkaline-earth iodides in double-filament system, 1
Distonic ions
Definitive characterization of some $C_5H_5N^{\cdot+}$ and $C_6H_7N^{\cdot+}$ radical cations by associative ion-molecule reactions, 91
Double filament
Surface ionization of alkaline-earth iodides in double-filament system, 1

Effective potential
Effective potential and the ion axial beat motion near the boundary of the first stable region in a nonlinear ion trap, 27
Electron attachment
A study of low energy electron attachment to trifluoromethyl sulphur pentafluoride, SF_5CF_3: atmospheric implications, i
Electron capture mass spectrometry
Lewis acid-base interactions of SiF_4 with molecular anions formed by electron capture reactions, 53
Electron-impact ionization
Calculations of absolute electron-impact ionization cross sections for molecules of technological relevance using the DM formalism, 13
Electrospray

1387-3806/01/$20.00 © 2001 Elsevier Science B.V. All rights reserved
PII S1387-3806(00)00240-2

Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. III. Rearrangement versus desolvation in the electrospray formation of the glycine-zinc complex, 45
Energy focusing
Ion-optical properties of time-of-flight mass spectrometers, 211
Envelope equation
Effective potential and the ion axial beat motion near the boundary of the first stable region in a nonlinear ion trap, 27
Explosives
Multiphoton ionization of nitrotoluenes by means of ultrashort laser pulses, 243

Femtosecond laser excitation
Separation of neutral versus cationic dissociation processes in an ultracompact double time-of-flight spectrometer: first results on CH_3I, 191
Flame ionization
Current-voltage characteristics in a flame plasma: analysis for positive and negative ions, with applications, 137
Flame plasma
Current-voltage characteristics in a flame plasma: analysis for positive and negative ions, with applications, 137

Gas isotope mass spectrometry
A primary isotopic gas standard for krypton with values for isotopic composition and molar mass traceable to the Système International d'Unités, 129
Glycine-zinc complex
Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. III. Rearrangement versus desolvation in the electrospray formation of the glycine-zinc complex, 45
Gridless reflector
Designing reflectron time-of-flight mass spectrometers with and without grids: a direct comparison, 181
Grids
Reducing grid dispersion of ions in orthogonal acceleration time-of-flight mass spectrometry: advantage of grids with rectangular repeat cells, 201

High mass resolving power
Multipass time-of-flight mass spectrometers with high resolving powers, 265

Inert gases
The use of proton-transfer reactions to detect low levels of impurities in bulk oxygen using an atmospheric pressure ionization mass spectrometer, 7
Ion clustering
Lewis acid-base interactions of SiF_4 with molecular anions formed by electron capture reactions, 53
Ion optics
Ion-optical properties of time-of-flight mass spectrometers, 211
Reducing grid dispersion of ions in orthogonal acceleration time-of-flight mass spectrometry: advantage of grids with rectangular repeat cells, 201
Isotope amount ratio
A primary isotopic gas standard for krypton with values for isotopic composition and molar mass traceable to the Système International d'Unités, 129
Isotope ratio mass spectrometry
Linearity tests for secondary electron multipliers used in isotope ratio mass spectrometry, 105
Isotopic composition
A primary isotopic gas standard for krypton with values for isotopic composition and molar mass traceable to the Système International d'Unités, 129

Krypton
A primary isotopic gas standard for krypton with values for isotopic composition and molar mass traceable to the Système International d'Unités, 129

Laser ablation
Observation of multiply charged cluster anions upon pulsed UV laser ablation of metal surfaces under high vacuum, 63
Limit cycle
Effective potential and the ion axial beat motion near the boundary of the first stable region in a nonlinear ion trap, 27
Linearity
Linearity tests for secondary electron multipliers used in isotope ratio mass spectrometry, 105

Mass resolution
Reducing grid dispersion of ions in orthogonal acceleration time-of-flight mass spectrometry: advantage of grids with rectangular repeat cells, 201
Mass selective scan
Effective potential and the ion axial beat motion near the boundary of the first stable region in a nonlinear ion trap, 27
Mass spectrometry
Multiphoton ionization of nitrotoluenes by means of ultrashort laser pulses, 243
Surface ionization of alkaline-earth iodides in double-filament system, 1
Matrix-assisted laser desorption ionization

Recent progress in matrix-assisted laser desorption ionization postsource decay, 273
Mechanisms
Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. III. Rearrangement versus desolvation in the electrospray formation of the glycine-zinc complex, 45
Metal clusters
Observation of multiply charged cluster anions upon pulsed UV laser ablation of metal surfaces under high vacuum, 63
Molar mass
A primary isotopic gas standard for krypton with values for isotopic composition and molar mass traceable to the Système International d'Unités, 129
Molecules
Calculations of absolute electron-impact ionization cross sections for molecules of technological relevance using the DM formalism, 13
Multiphoton ionization
Multiphoton ionization of nitrotoluenes by means of ultrashort laser pulses, 243
Multiply negatively charged ions
Observation of multiply charged cluster anions upon pulsed UV laser ablation of metal surfaces under high vacuum, 63

Negative ions
Current-voltage characteristics in a flame plasma: analysis for positive and negative ions, with applications, 137
Negatively charged ions
Time-of-flight mass analyser for anion mass spectrometry and anion photoelectron spectroscopy, 231
Nitrotoluenes
Multiphoton ionization of nitrotoluenes by means of ultrashort laser pulses, 243

Orthogonal acceleration
Reducing grid dispersion of ions in orthogonal acceleration time-of-flight mass spectrometry: advantage of grids with rectangular repeat cells, 201

Photodetachment
Time-of-flight mass analyser for anion mass spectrometry and anion photoelectron spectroscopy, 231
Photoelectron spectroscopy
Separation of neutral versus cationic dissociation processes in an ultracompact double time-of-flight spectrometer: first results on CH_3I, 191
Time-of-flight mass analyser for anion mass spectrometry and anion photoelectron spectroscopy, 231
Photofragmentation
Separation of neutral versus cationic dissociation processes in an ultracompact double time-of-flight spectrometer: first results on CH_3I, 191
Photoionization
Separation of neutral versus cationic dissociation processes in an ultracompact double time-of-flight spectrometer: first results on CH_3I, 191
Positive TIMS
Improvements of boron isotope analysis by positive thermal ionization mass spectrometry using static multicollection of $Cs_2BO_2^+$ ions, 79
Postsource decay
Recent progress in matrix-assisted laser desorption ionization postsource decay, 273
Primary isotopic gas standard
A primary isotopic gas standard for krypton with values for isotopic composition and molar mass traceable to the Système International d'Unités, 129

Rate constants
A study of low energy electron attachment to trifluoromethyl sulphur pentafluoride, SF_5CF_3: atmospheric implications, i
Reflectron
Designing reflectron time-of-flight mass spectrometers with and without grids: a direct comparison, 181

Secondary electron multiplier
Linearity tests for secondary electron multipliers used in isotope ratio mass spectrometry, 105
Semiconductor processing
The use of proton-transfer reactions to detect low levels of impurities in bulk oxygen using an atmospheric pressure ionization mass spectrometer, 7
SF_5CD_3
A study of low energy electron attachment to trifluoromethyl sulphur pentafluoride, SF_5CF_3: atmospheric implications, i
SI
A primary isotopic gas standard for krypton with values for isotopic composition and molar mass traceable to the Système International d'Unités, 129
Silicon tetrafluoride
Lewis acid-base interactions of SiF_4 with molecular anions formed by electron capture reactions, 53
Small sample sizes
Improvements of boron isotope analysis by positive thermal ionization mass spectrometry using static multicollection of $Cs_2BO_2^+$ ions, 79
Static multicollection
Improvements of boron isotope analysis by positive thermal ionization mass spectrometry using static multicollection of $Cs_2BO_2^+$ ions, 79

Stretched trap
Effective potential and the ion axial beat motion near the boundary of the first stable region in a nonlinear ion trap, 27
Sub-ppb level impurities
The use of proton-transfer reactions to detect low levels of impurities in bulk oxygen using an atmospheric pressure ionization mass spectrometer, 7
Substituted nitrobenzenes
Lewis acid-base interactions of SiF_4 with molecular anions formed by electron capture reactions, 53
Surface ionization
Surface ionization of alkaline-earth iodides in double-filament system, 1

Tandem mass spectrometry
Definitive characterization of some $C_5H_5N^{\cdot+}$ and $C_6H_7N^{\cdot+}$ radical cations by associative ion-molecule reactions, 91
Recent progress in matrix-assisted laser desorption ionization postsource decay, 273
Thermal electron detachment
Lewis acid-base interactions of SiF_4 with molecular anions formed by electron capture reactions, 53
Time focusing
Ion-optical properties of time-of-flight mass spectrometers, 211
Time-of-flight mass spectrometry
Designing reflectron time-of-flight mass spectrometers with and without grids: a direct comparison, 181
Ion-optical properties of time-of-flight mass spectrometers, 211
Multipass time-of-flight mass spectrometers with high resolving powers, 265
Recent progress in matrix-assisted laser desorption ionization postsource decay, 273
Reducing grid dispersion of ions in orthogonal acceleration time-of-flight mass spectrometry: advantage of grids with rectangular repeat cells, 201
Separation of neutral versus cationic dissociation processes in an ultracompact double time-of-flight spectrometer: first results on CH_3I, 191
Time-of-flight mass analyser for anion mass spectrometry and anion photoelectron spectroscopy, 231
Time-of-flight mass spectrometry (concepts, achievements, and prospects), 249
Traceability
A primary isotopic gas standard for krypton with values for isotopic composition and molar mass traceable to the Système International d'Unités, 129
Trajectory simulations
Designing reflectron time-of-flight mass spectrometers with and without grids: a direct comparison, 181

Ultra short laser pulses
Multiphoton ionization of nitrotoluenes by means of ultrashort laser pulses, 243

Velocity focusing
Ion-optical properties of time-of-flight mass spectrometers, 211